



BOVEARN

PU MOULDINGS CATALOGUE



PU MOULDINGS



Bovearn Building Material Co.,Ltd

Add:No. 10 wulv road,tong'an industrial
zone, Xiamen, Fujian , China.



COMPANY CULTURE

- Brand strategy
Continuous Innovation, Focus on quality, Advance with times.
- Elitist
Loyal and honest, professional and enterprising.
- Brand positioning
High-end, quality goods.
- Brand development
Grow with our clients together, enrich and develop the products.
- Brand objectives
Sets up the high quality brand image, provide professional Service, Leading the market.

(Installation)



1. Establish a horizontal reference line on wall for the cornice;



2. Marked on the wall and ceiling by the cornices, prepare for the corner joints;



3. Saw at the marked point of the cornice, and better to cut more 5mm than the marked point;



4. Apply silicone or adhesive on both backedge of the cornice, which will be contact with the wall and ceiling;



5. Using pressure gun for nailing, if the wall is too strong then use the steel nail;



6. The joints between the cornices can be amended with the saw or the sandpaper;



7. Fasten the cornice with the pressure gun or steel nail, and fill the nail holes with plaster;



8. Apply the filler (Silicone or Plaster) to fill up the gaps;



9. Cleaning overflowed glue with the waterish cloth;



10. Allow to dry, sand smooth with sandpaper and finished with paint.

(Product Character)

Our Products are made of Ployurethane, which is an exclusively, high quality material. As a professional manufacturer, our factory encompasses the newest technology and high-tech facility.

1. Waterproof: Resistant to moisture, mildew and vermin. Easy to clean, can be kept new for a long time.
2. Product stability: No excessive expansion or contraction due to heat or cold, no warping, no splitting.
3. Light weight: Never splitting when in carry, the use efficiency is high.
4. Good resilience: Arch molding and ceiling is available, flexible.
5. Easy installation: Can be planed, sawed, nailed and glued, save the cost and time.
6. Our polyurethane products are covered with PVC film and painted off-white color, apply finishing paint coat with any color as you like.

► Company Profile

- Foreword
- Profile
- Qualification
- Honors
- Culture
- Installation

► Products



Project case	01~18
Modern concise style	19~26
Chinese concise style series	27~34
Carving crown mouldings	35~56
Carving Panel mouldings	57~66
Carving hollow mouldings	67~68
Plain crown mouldings	69~84
Plain Panel mouldings	85~96
Combination mouldings	97~100
Carving panel mouldings -corners	101~108
Plain panel mouldings-corners	109~125
Ceilingtiles/wall moldings	126~134



CONTENTS

French combination lamp holder	135~146
Rounded medallion	147~168
Oval medallion	169~172
Ceiling domes	173~182
Fireplace/niches/shelvings	183~187
Corbels	188~201
Classic wall board series	202~211
Combination ceiling tile examples	212~215
Ornaments	216~252
Wall boards	253~278
Curtian Box Mouldings	279~280
Door surroundings	281~288
PU pilasters columns	289~295
PU Rounded roma columns	296~300
PU faux beam	330
Colored product examples	331~342
2023-New Additions	343~356











project case



project case



project case





project case



project case



Carving crown mouldings



Carving crown mouldings



Carving crown mouldings



GA-81001
L:2400mm B:73mm R:34mm



GA-81003
L:2400mm B:71mm R:163mm



GA-81004
L:2400mm B:79mm R:10mm



GA-81005
L:2400mm B:80mm R:48mm



GA-81006-60
L:2400mm B:85mm R:50mm



GA-81006-70
L:2400mm B:103mm R:67mm



GA-81007
L:2400mm B:88mm R:60mm



GA-81008
L:2400mm B:84mm R:37mm



GA-81009
L:2400mm B:113mm R:485mm



GA-81010
L:2400mm B:81mm R:10mm



GA-81011
L:2400mm B:84mm R:244mm



GA-81012
L:2400mm B:84mm R:40mm



GA-81013
L:2400mm B:94mm R:100mm



GA-81015
L:2400mm B:75mm R:26mm



GA-81016
L:2400mm B:98mm R:306mm



GA-81017
L:2400mm B:98mm R:200mm



GA-81018-70
L:2400mm B:83mm R:45mm



GA-81018-105
L:2400mm B:129mm R:122mm



GA-81019
L:2400mm B:100mm R:33mm



GA-81020
L:2400mm B:103mm R:240mm



GA-81021
L:2400mm B:102mm R:300mm



GA-81022-70
L:2400mm B:99mm R:240mm



GA-81022-85
L:2400mm B:133mm R:305mm



GA-81023
L:2400mm B:100mm R:164mm



GA-81024
L:2400mm B:109mm R:204mm




GA-81025
L:2400mm B:104mm R:205mm


Carving crown mouldings




GA-81026
L:2400mm B:101mm R:121mm




GA-81031
L:2400mm B:110mm R:121mm




GA-81027
L:2400mm B:106mm R:25mm




GA-81032
L:2400mm B:103mm R:164mm




GA-81028
L:2400mm B:89mm R:152mm




GA-81033
L:2400mm B:103mm R:152mm




GA-81029
L:2400mm B:102mm R:240mm




GA-81034
L:2400mm B:102mm R:96mm




GA-81030-70
L:2400mm B:98mm R:163mm





GA-81035
L:2400mm B:103mm R:34mm




GA-81030-90
L:2400mm B:132mm R:270mm




GA-81036
L:2400mm B:100mm R:80mm




GA-81037-60
L:2400mm B:85mm R:110mm




GA-81037-80
L:2400mm B:109mm R:120mm




GA-81037-100
L:2400mm B:143mm R:120mm




GA-81039-60
L:2400mm B:85mm R:180mm




GA-81039-80
L:2400mm B:114mm R:200mm




GA-81039-100
L:2400mm B:142mm R:220mm



GA-81038
L:2400mm B:114mm R:200mm




GA-81040-70
L:2400mm B:100mm R:120mm




GA-81040-85
L:2400mm B:117mm R:122mm




GA-81041
L:2400mm B:113mm R:244mm



GA-81042
L:2400mm B:95mm R:48mm



GA-81043
L:2400mm B:100mm R:143mm



Carving crown mouldings



GA-81044-60
L:2400mm B:85mm R:120mm



GA-81044-85
L:2400mm B:118mm R:150mm



GA-81045
L:2400mm B:101mm R:45mm




GA-81046
L:2400mm B:112mm R:32mm



GA-81047
L:2400mm B:118mm R:203mm



GA-81048
L:2400mm B:121mm R:152mm



GA-81049
L:2400mm B:100mm R:61mm



GA-81050
L:2400mm B:124mm R:60mm



GA-81051-60
L:2400mm B:85mm R:180mm



GA-81051-80
L:2400mm B:114mm R:200mm



GA-81051-100
L:2400mm B:142mm R:220mm



GA-81052-85
L:2400mm B:117mm R:49mm



GA-81052-120
L:2400mm B:169mm R:86mm



GA-81053
L:2400mm B:119mm R:101mm



GA-81054
L:2400mm B:110mm R:41mm



GA-81055
L:2400mm B:113mm R:200mm



GA-81056
L:2400mm B:120mm R:60mm



GA-81057
L:2400mm B:122mm R:122mm



GA-81058
L:2400mm B:121mm R:40mm



GA-81059
L:2400mm B:121mm R:30mm



GA-81060-70
L:2400mm B:99mm R:100mm



GA-81060-90
L:2400mm B:129mm R:100mm



GA-81060-90Y(1/4 of circle)
L:1000mm B:129mm R:100mm

Carving crown mouldings



GA-81061
L:2400mm B:116mm R:140mm



GA-81062
L:2400mm B:129mm R:82mm



GA-81063
L:2400mm B:127mm R:25mm



GA-81064
L:2400mm B:130mm R:477mm



GA-81065
L:2400mm B:123mm R:50mm



GA-81066
L:2400mm B:110mm R:20mm



GA-81067
L:2400mm B:110mm R:10mm



GA-81068
L:2400mm B:122mm R:200mm



GA-81069
L:2400mm B:128mm R:144mm



GA-81070
L:2400mm B:119mm R:160mm



GA-81071
L:2400mm B:145mm R:77mm



GA-81072
L:2400mm B:113mm R:101mm



GA-81073
L:2400mm B:124mm R:40mm



GA-81074
L:2400mm B:100mm R:15mm



GA-81076
L:2400mm B:103mm R:24mm



GA-81077
L:2400mm B:123mm R:47mm



GA-81079-60
L:2400mm B:85mm R:120mm



GA-81079-80
L:2400mm B:113mm R:130mm



GA-81079-100
L:2400mm B:142mm R:150mm



GA-81080
L:2400mm B:131mm R:346mm



GA-81081
L:2400mm B:141mm R:346mm



GA-81082
L:2400mm B:132mm R:40mm



GA-81083
L:2400mm B:126mm R:122mm



GA-81084
L:2400mm B:125mm R:122mm

Carving crown mouldings



GA-81085
L:2400mm B:142mm R:60mm



GA-81087
L:2400mm B:138mm R:202mm



GA-81088-60
L:2400mm B: 85mm R:75mm



GA-81088-80
L:2400mm B:113mm R:95mm



GA-81088-100
L:2400mm B:133mm R:100mm



GA-81088-120
L:2400mm B:170mm R:110mm



GA-81088-150
L:2400mm B: 212mm R:155mm



GA-81090
L:2400mm B:114mm R:40mm




GA-81091
L:2400mm B:124mm R:817mm



GA-81092-100
L:2400mm B:143mm R:17mm



GA-81092-130
L:2400mm B:180mm R:20mm



GA-81094
L:2400mm B:144mm R:44mm



GA-81095
L:2400mm B:116mm R:100mm



GA-81096-140
L:2400mm B:156mm R:58mm



GA-81096-180
L:2400mm B:202mm R:58mm



GA-81097
L:2400mm B:154mm R:149mm



GA-81098
L:2400mm B:143mm R:34mm



GA-81101
L:2400mm B:150mm R:123mm



GA-81103
L:2400mm B:138mm R:800mm



GA-81104
L:2400mm B:146mm R:100mm



GA-81105
L:2400mm B:120mm R:30mm



GA-81106
L:2400mm B:138mm R:127mm



GA-81107
L:2400mm B:152mm R:100mm

Carving crown mouldings



GA-81108
L:2400mm B:142mm R:96mm



GA-81110-110
L:2400mm B:153mm R:122mm



GA-81110-150
L:2400mm B:190mm R:144mm



GA-81111
L:2400mm B:154mm R:120mm



GA-81112
L:2400mm B:136mm R:75mm



GA-81113
L:2400mm B:126mm R:1230mm



GA-81114
L:2400mm B:158mm R:273mm



GA-81115
L:2400mm B:131mm R:70mm



GA-81116
L:2400mm B:154mm R:125mm



GA-81118
L:2400mm B:133mm R:335mm



GA-81119
L:2400mm B:140mm R:20mm



GA-81121
L:2400mm B:145mm R:100mm



GA-81122
L:2400mm B:161mm R:84mm



GA-81123
L:2400mm B:149mm R:143mm



GA-81125
L:2400mm B:159mm R:30mm



GA-81126
L:2400mm B:172mm R:189mm



GA-81127
L:2400mm B:184mm R:50mm



GA-81128
L:2400mm B:164mm R:348mm



GA-81129
L:2400mm B:172mm R:200mm



GA-81130
L:2400mm B:167mm R:194mm



GA-81132
L:2400mm B:168mm R:485mm



GA-81133
L:2400mm B:179mm R:62mm



GA-81134
L:2400mm B:180mm R:49mm



GA-81135
L:2400mm B:165mm R:60mm

Carving crown mouldings



GA-81137
L:2400mm B:168mm R:101mm



GA-81138
L:2400mm B:158mm R:150mm



GA-81139
L:2400mm B:200mm R:240mm



GA-81141
L:2400mm B:154mm R:54mm



GA-81143
L:2400mm B:190mm R:135mm



GA-81145
L:2400mm B:203mm R:70mm



GA-81146-150
L:2400mm B:213mm R:63mm



GA-81146-300
L:2400mm B:425mm R:70mm



GA-81147
L:2400mm B:163mm R:270mm



GA-81148
L:2400mm B:222mm R:35mm



GA-81149
L:2400mm B:162mm R:45mm



GA-81150
L:2400mm B:179mm R:202mm



GA-81152
L:2400mm B:210mm R:810mm



GA-81153
L:2400mm B:182mm R:140mm



GA-81154
L:2400mm B:203mm R:244mm




GA-81155
L:2400mm B:228mm R:240mm



GA-81156-80
L:2400mm B:132mm R:175mm



GA-81156-160
L:2400mm B:256mm R:245mm



GA-81157
L:2400mm B:210mm R:78mm




GA-81158
L:2400mm B:222mm R:480mm


Carving crown mouldings




GA-81159-128
L:2400mm
B:176mm
R:390mm



GA-81159-170
L:2400mm
B:230mm
R:480mm




GA-81160
L:2400mm
B:221mm
R:145mm



GA-81161
L:2400mm
B:245mm
R:205mm


Carving crown mouldings





GA-81162
L:2400mm
B:260mm
R:162mm



GA-81163
L:2400mm
B:222mm
R:101mm




GA-81164
L:2400mm
B:255mm
R:200mm




GA-81165
L:2400mm
B:270mm
R:210mm


Carving crown mouldings




GA-81166
L:2400mm
B:283mm
R:100mm



GA-81167
L:2400mm
B:301mm
R:465mm




GA-81169
L:2400mm
B:356mm
R:122mm




GA-81170
L:2400mm
B:498mm
R:610mm


Carving crown mouldings





GA-81171
L:2100mm
B:403mm
R:60mm



GA-81172
L:2400mm
B:585mm
R:135mm




GA-81173
L:2100mm
B:525mm
R:95mm




GA-81179
L:2400mm
B:519mm
R:300mm

Carving crown mouldings



GA-81174
L:2400mm
B:498mm
R:1310mm




piece together : (GA-81174/X+GA-81174)




piece together : (GA-81174/X+GA-81170)




piece together : (GA-81174/X+GA-81168)




GA-81168
L:2400mm
B:498mm
R:480mm




GA-81174/X
700x680x210mm



GA-81167
L: 2400mm B:301mm R:100mm



GA-81175
L:2400mm B:301mm R:490mm



GA-81175/X
460x390x122mm



piece together : (GA-81175/X+GA-81167)




piece together : (GA-81175/X+GA-81175)



(GA-81175/Y+GA-81167)



(GA-81175/Y+GA-81175)



GA-81175/Y
460x410x122mm