



BOVEARN

PU MOULDINGS CATALOGUE



PU MOULDINGS



Bovearn Building Material Co.,Ltd

Add:No. 10 wulv road,tong'an industrial
zone, Xiamen, Fujian , China.



COMPANY CULTURE

- Brand strategy
Continuous Innovation, Focus on quality, Advance with times.
- Elitist
Loyal and honest, professional and enterprising.
- Brand positioning
High-end, quality goods.
- Brand development
Grow with our clients together, enrich and develop the products.
- Brand objectives
Sets up the high quality brand image, provide professional Service, Leading the market.

(Installation)



1. Establish a horizontal reference line on wall for the cornice;



2. Marked on the wall and ceiling by the cornices, prepare for the corner joints;



3. Saw at the marked point of the cornice, and better to cut more 5mm than the marked point;



4. Apply silicone or adhesive on both backedge of the cornice, which will be contact with the wall and ceiling;



5. Using pressure gun for nailing, if the wall is too strong then use the steel nail;



6. The joints between the cornices can be amended with the saw or the sandpaper;



7. Fasten the cornice with the pressure gun or steel nail, and fill the nail holes with plaster;



8. Apply the filler (Silicone or Plaster) to fill up the gaps;



9. Cleaning overflowed glue with the waterish cloth;



10. Allow to dry, sand smooth with sandpaper and finished with paint.

(Product Character)

Our Products are made of Ployurethane, which is an exclusively, high quality material. As a professional manufacturer, our factory encompasses the newest technology and high-tech facility.

1. Waterproof: Resistant to moisture, mildew and vermin. Easy to clean, can be kept new for a long time.
2. Product stability: No excessive expansion or contraction due to heat or cold, no warping, no splitting.
3. Light weight: Never splitting when in carry, the use efficiency is high.
4. Good resilience: Arch molding and ceiling is available, flexible.
5. Easy installation: Can be planed, sawed, nailed and glued, save the cost and time.
6. Our polyurethane products are covered with PVC film and painted off-white color, apply finishing paint coat with any color as you like.

► Company Profile

- Foreword
- Profile
- Qualification
- Honors
- Culture
- Installation

► Products

Project case	01~18
Modern concise style	19~26
Chinese concise style series	27~34
Carving crown mouldings	35~56
Carving Panel mouldings	57~66
Carving hollow mouldings	67~68
Plain crown mouldings	69~84
Plain Panel mouldings	85~96
Combination mouldings	97~100
Carving panel mouldings -corners	101~108
Plain panel mouldings-corners	109~125
Ceilingtiles/wall moldings	126~134

CONTENTS

French combination lamp holder	135~146
Rounded medallion	147~168
Oval medallion	169~172
Ceiling domes	173~182
Fireplace/niches/shelvings	183~187
Corbels	188~201
Classic wall board series	202~211
Combination ceiling tile examples	212~215
Ornaments	216~252
Wall boards	253~278
Curtian Box Mouldings	279~280
Door surroundings	281~288
PU pilasters columns	289~295
PU Rounded roma columns	296~300
PU faux beam	330
Colored product examples	331~342
2023-New Additions	343~356

Plain crown mouldings










Plain crown mouldings



Plain crown
mouldings



Plain crown mouldings



Plain crown mouldings



GC-83011 L:2400mm B:75mm



GC-83015 L:2400mm B:80mm




GC-83013-55 L:2400mm B:82mm



GC-83016 L:2400mm B:81mm



GC-83013-70 L:2400mm B:99mm



GC-83017 L:2400mm B:78mm



GC-83013-85 L:2400mm B:124mm



GC-83018 L:2400mm B:76mm



GC-83013-120 L:2400mm B:170mm



GC-83019 L:2400mm B:84mm



GC-83014 L:2400mm B:81mm




GC-83020 L:2400mm B:123mm



GC-83021 L:2400mm B:84mm



GC-83023 L:2400mm B:111mm



GC-83022-60 L:2400mm B:85mm



GC-83022-80 L:2400mm B:114mm



GC-83022-115 L:2400mm B:148mm



GC-83024 L:2400mm B:93mm




GC-83025-60 L:2400mm B:88mm



GC-83025-75 L:2400mm B:105mm



GC-83026-75 L:2400mm B:94mm



GC-83026-150 L:2400mm B:212mm



GC-83027-70 L:2400mm B:86mm



GC-83027-100 L:2400mm B:143mm



Plain crown mouldings



GC-83028 L:2400mm B:87mm



GC-83029 L:2400mm B:95mm



GC-83030-50 L:2400mm B:71mm




GC-83030-70 L:2400mm B:97mm



GC-83030-80 L:2400mm B:113mm



GC-83030-100 L:2400mm B:141mm



GC-83081



GC-83030-120 L:2400mm B:170mm



GC-83030-180 L:2400mm B:235mm



GC-83031-50 L:2400mm B:81mm



GC-83031-75 L:2400mm B:104mm



GC-83031-80 L:2400mm B:113mm



GC-83031-100 L:2400mm B:141mm



GC-83031-120 L:2400mm B:170mm



GC-83032 L:2400mm B:108mm

Plain crown mouldings



GC-83033 L:2400mm B:140mm



GC-83034 L:2400mm B:100mm



GC-83034-200 L:2400 B:256mm



GC-83035 L:2400mm B:103mm



GC-83038-50 L:2400mm B:71mm



GC-83038-60 L:2400mm B:85mm



GC-83038-70 L:2400mm B:102mm



Plain crown mouldings



GC-83038-80 L:2400mm B:114mm



GC-83038-100 L:2400mm B:143mm



GC-83040 L:2400mm B:100mm



GC-83041 L:2400mm B:108mm



GC-83042-50 L:2400mm B:71mm



GC-83042-70 L:2400mm B:103mm



GC-83042-100 L:2400mm B:140mm



GC-83043 L:2400mm B:112mm



GC-83044-80 L:2400mm B:114mm



GC-83044-110 L:2400mm B:156mm



GC-83046-60 L:2400mm B:85mm



GC-83046-80 L:2400mm B:118mm



GC-83046-100 L:2400mm B:142mm



GC-83046-120 L:2400mm B:170mm



GC-83045 L:2400mm B:121mm



GC-83047 L:2400mm B:128mm



GC-83048-85 L:2400mm B:118mm



GC-83048-115 L:2400mm B:160mm

Plain crown mouldings



GC-83048-145 L:2400mm B:207mm



GC-83049 L:2400mm B:111mm



GC-83050 L:2400mm B:125mm



GC-83052 L:2400mm B:109mm



GC-83053 L:2400mm B:129mm



GC-83054 L:2400mm B:122mm



Plain crown mouldings

Plain crown mouldings



GC-83055 L:2400mm B:130mm



GC-83059 L:2400mm B:118mm



GC-83067 L:2400mm B:158mm



GC-83076 L:2400mm B:163mm



GC-83056-60 L:2400mm B:85mm




GC-83060 L:2400mm B:130mm



GC-83068 L:2400mm B:146mm



GC-83077 L:2400mm B:167mm



GC-83056-80 L:2400mm B:114mm



GC-83061 L:2400mm B:144mm



GC-83071 L:2400mm B:168mm



GC-83078 L:2400mm B:172mm



GC-83056-100 L:2400mm B:142mm



GC-83062 L:2400mm B:126mm




GC-83072 L:2400mm B:148mm



GC-83079 L:2400mm B:196mm



GC-83057 L:2400mm B:145mm



GC-83063 L:2400mm B:142mm



GC-83074 L:2400mm B:135mm



GC-83085 L:2400mm B:187mm



GC-83058 L:2400mm B:164mm



GC-83066 L:2400mm B:146mm



GC-83075 L:2400mm B:170mm




GC-83086 L:2400mm B:210mm



Plain crown mouldings



GC-83080 L:2400mm B:241mm



GC-83091 L:2400mm B:247mm



GC-83081 L:2400mm B:187mm



GC-83092 L:2400mm B:240mm



GC-83082 L:2400mm B:187mm



GC-83095 L:2400mm B:277mm



GC-83083 L:2400mm B:212mm




GC-83096 L:2400mm B:365mm



GC-83088 L:2400mm B:217mm



GC-83099 L:2400mm B:152mm



GC-83090 L:2400mm B:188mm




GC-83099-150 L:2400mm B:212mm



GC-83100 L:2400mm B:170mm




GC-83101 L:2400mm B:198mm



GC-83102 L:2400mm B:205mm



GC-83103 L:2400mm B:210mm



GC-83104 L:2400mm B:142mm



GC-83105 L:2400mm B:156mm



GC-83106 L:2400mm B:266mm



GC-83107 L:2400mm B:77mm



GC-83108-75 L:2400mm B:93mm



GC-83108-85 L:2400mm B:104mm




GC-83109 L:2400mm B:144mm




GC-83111 L:2400mm B:74mm

Plain crown mouldings

Plain crown mouldings



GC-83110-350 L:2400mm B:495mm



GC-83110-600 L:2400mm B:840mm



GC-83112 L:2400mm B:70mm



GC-83113 L:2400mm B:350mm



GC-83115 L:2400mm B:285mm




GC-83116 L:2400mm B:170mm



GC-83114-80 L:2400mm B:113mm



GC-83114-60 L:2400mm B:85mm



GC-83114-100 L:2400mm B:142mm



GC-83114-150 L:2400mm B:212mm



GC-83117 L:2400mm



GC-83118 L:2400mm



GC-83119 L:2400mm B:99mm



GC-83120 L:2400mm



GC-83121 L:2400mm B:186mm



GC-83122 L:2400mm B:198mm



GC-83123 L:2400mm B:212mm




GC-83124 L:2400mm B:261mm

Plain crown mouldings



GC-83125 L:2400mm B:300mm



GC-83126 L:2400mm B:165mm



GC-83127 L:2400mm B:245mm



GC-83128 L:2400mm B:65mm



GC-83129 L:2400mm B:35mm