



BOVEARN

PU MOULDINGS CATALOGUE



PU MOULDINGS



Bovearn Building Material Co.,Ltd

Add:No. 10 wulv road,tong'an industrial
zone, Xiamen, Fujian , China.



COMPANY CULTURE

- Brand strategy
Continuous Innovation, Focus on quality, Advance with times.
- Elitist
Loyal and honest, professional and enterprising.
- Brand positioning
High-end, quality goods.
- Brand development
Grow with our clients together, enrich and develop the products.
- Brand objectives
Sets up the high quality brand image, provide professional Service, Leading the market.

(Installation)



1. Establish a horizontal reference line on wall for the cornice;



2. Marked on the wall and ceiling by the cornices, prepare for the corner joints;



3. Saw at the marked point of the cornice, and better to cut more 5mm than the marked point;



4. Apply silicone or adhesive on both backedge of the cornice, which will be contact with the wall and ceiling;



5. Using pressure gun for nailing, if the wall is too strong then use the steel nail;



6. The joints between the cornices can be amended with the saw or the sandpaper;



7. Fasten the cornice with the pressure gun or steel nail, and fill the nail holes with plaster;



8. Apply the filler (Silicone or Plaster) to fill up the gaps;



9. Cleaning overflowed glue with the waterish cloth;



10. Allow to dry, sand smooth with sandpaper and finished with paint.

(Product Character)

Our Products are made of Ployurethane, which is an exclusively, high quality material. As a professional manufacturer, our factory encompasses the newest technology and high-tech facility.

1. Waterproof: Resistant to moisture, mildew and vermin. Easy to clean, can be kept new for a long time.
2. Product stability: No excessive expansion or contraction due to heat or cold, no warping, no splitting.
3. Light weight: Never splitting when in carry, the use efficiency is high.
4. Good resilience: Arch molding and ceiling is available, flexible.
5. Easy installation: Can be planed, sawed, nailed and glued, save the cost and time.
6. Our polyurethane products are covered with PVC film and painted off-white color, apply finishing paint coat with any color as you like.

► Company Profile

- Foreword
- Profile
- Qualification
- Honors
- Culture
- Installation




► Products

Project case	01~18
Modern concise style	19~26
Chinese concise style series	27~34
Carving crown mouldings	35~56
Carving Panel mouldings	57~66
Carving hollow mouldings	67~68
Plain crown mouldings	69~84
Plain Panel mouldings	85~96
Combination mouldings	97~100
Carving panel mouldings -corners	101~108
Plain panel mouldings-corners	109~125
Ceilingtiles/wall moldings	126~134

CONTENTS

French combination lamp holder	135~146
Rounded medallion	147~168
Oval medallion	169~172
Ceiling domes	173~182
Fireplace/niches/shelvings	183~187
Corbels	188~201
Classic wall board series	202~211
Combination ceiling tile examples	212~215
Ornaments	216~252
Wall boards	253~278
Curtian Box Mouldings	279~280
Door surroundings	281~288
PU pilasters columns	289~295
PU Rounded roma columns	296~300
PU faux beam	330
Colored product examples	331~342
2023-New Additions	343~356

PLAIN PANEL MOULDINGS



Plain panel mouldings



GD-85007 L:2400mm B:40mm



GD-85008-20 L:2400mm B:20mm



GD-85008-30 L:2400mm B:30mm



GD-85008 L:2400mm B:40mm



GD-85008-50 L:2400mm B:50mm



GD-85008-80 L:2400mm B:80mm



GD-85008-100 L:2400mm B:100mm



GD-85009 L:2400mm B:40mm



GD-85010 L:2400mm B:43mm



GD-85011 L:2400mm B:42mm



GD-85011-25
L:2400mm B:25mm




GD-85012 L:2400mm B:43mm



GD-85012-50 L:2400mm B:50mm



GD-85013 L:2400mm B:43mm



GD-85014 L:2400mm B:47mm




GD-85015 L:2400mm




GD-85016-20
L:2400mm B:20mm




GD-85016-30 L:2400mm B:30mm



GD-85016 L:2400mm B:50mm




GD-85017 L:2400mm B:52mm




GD-85091-155 L:2400mm B:155mm

Plain panel mouldings



GD-85050-150
L:2400mm B:146mm



GD-85050-200
L:2400mm B:200mm



GD-85064-200
L:2400mm B:200mm R:30mm



GD-85064-250
L:2400mm B:250mm R:40mm




GD-85064-300
L:2400mm B:300mm R:40mm

Plain panel mouldings




GD-85018 L:2400mm B:51mm



GD-85023 L:2400mm B:62mm




GD-85028-50 L:2400mm B:50mm



GD-85035 L:2400mm B:78mm



GD-85019 L:2400mm B:54mm



GD-85024 L:2400mm B:62mm



GD-85028 L:2400mm B:70mm



GD-85036 L:2400mm B:82mm



GD-85020 L:2400mm B:53mm



GD-85025 L:2400mm B:62mm



GD-85028-90 L:2400mm B:90mm




GD-85037 L:2400mm B:82mm



GD-85021 L:2400mm B:52mm



GD-85026 L:2400mm B:66mm



GD-85031 L:2400mm B:73mm



GD-85038 L:2400mm B:85mm



GD-85022-28 L:2400mm B:28mm



GD-85027 L:2400mm B:66mm



GD-85032 L:2400mm B:76mm



GD-85039 L:2400mm B:80mm



GD-85022 L:2400mm B:56mm




GD-85029 L:2400mm B:70mm



GD-85033 L:2400mm B:78mm




GD-85040 L:2400mm B:85mm



GD-85022-80 L:2400mm B:80mm



GD-85030 L:2400mm B:72mm



GD-85034 L:2400mm B:77mm



GD-85041 L:2400mm B:90mm


Plain panel mouldings




GD-85042 L:2400mm B:87mm



GD-85044 L:2400mm B:90mm



GD-85045 L:2400mm B:92mm



GD-85046 L:2400mm B:94mm



GD-85047 L:2400mm B:98mm




GD-85049 L:2400mm B:95mm



GD-85050 L:2400mm B:98mm




GD-85051 L:2400mm B:98mm



GD-85052 L:2400mm B:101mm



GD-85053 L:2400mm B:100mm



GD-85054 L:2400mm B:101mm




GD-85055 L:2400mm B:100mm



GD-85056 L:2400mm B:100mm




GD-85057-25 L:2400mm B:35mm



GD-85057-32 L:2400mm B:45mm



GD-85058 L:2400mm B:105mm



GD-85059 L:2400mm B:116mm




GD-85060 L:2400mm B:125mm



GD-85061 L:2400mm B:128mm




GD-85062 L:2400mm B:131mm



GD-85063 L:2400mm B:63mm




GD-85063-100 L:2400mm B:100mm



GD-85064-100 L:2400mm B:100mm



GD-85064-150 L:2400mm B:150mm



GD-85065-120 L:2400mm B:120mm



GD-85065-150 L:2400mm B:150mm

Plain panel mouldings




GD-85066 L:2400mm B:152mm



GD-85066-230 L:2400mm B:230mm



GD-85067 L:2400mm B:152mm




GD-85068 L:2400mm B:155mm



GD-85069 L:2400mm B:62mm




GD-85070 L:2400mm B:185mm



GD-85071 L:2400mm B:198mm



GD-85072 L:2400mm B:223mm



GD-85074 L:2400mm B:242mm



L:2400mm



GD-85076 L:2400mm B:82mm



GD-85077 L:2400mm B:115mm



GD-85078 L:2400mm B:45mm



GD-85079 L:2400mm B:78mm



GD-85080 L:2400mm B:120mm



GD-85081 L:2400mm B:60mm



GD-85082 L:2400mm B:45mm



GD-85083 L:2400mm B:130mm




GD-85084 L:2400mm B:230mm




GD-85085 L:2400mm B:280mm



GD-85088 L:2400mm B:80mm



GD-85086-50 L:2400mm B:50mm



GD-85086-80 L:2400mm B:80mm




GD-85089-30 L:2400mm B:30mm



GD-85089 L:2400mm B:110mm



GD-85090 L:2400mm B:150mm



GD-85091 L:2400mm B:100mm



Plain panel mouldings




GD-85092 L:2400mm B:120mm



GD-85094-12 L:2400mm B:12mm




GD-85093-30 L:2400mm B:30mm




GD-85094-20 L:2400mm B:20mm




GD-85093-40 L:2400mm B:40mm




GD-85094-40 L:2400mm B:40mm




GD-85095-30 L:2400mm




GD-85094-60 L:2400mm B:60mm




GD-85095-65 L:2400mm




GD-85094-80 L:2400mm B:80mm




GD-85095-250 L:2400mm



GD-85094-100 L:2400mm B:100mm




GD-85096 L:2400mm



GD-85094-200 L:2400mm B:200mm


Plain panel mouldings




GD-85097 L:2400mm B:100mm



GD-85098 L:2400mm B:100mm




GD-85099 L:2400mm B:125mm




GD-85100 L:2400mm B:172mm




GD-85101 L:2400mm B:50mm



GD-85102 L:2400mm B:79mm



GD-85103 L:2400mm B:107mm




GD-85104 L:2400mm B:160mm



GD-85105 L:2400mm B:100mm



GD-85106 L:2400mm B:60mm



GD-85111 L:2400mm B:50mm



GD-85112 L:2400mm B:100mm